

BV

Notice of Allowability	Application No.	Applicant(s)
	10/657,780	KRIGMONT, HENRY
	Examiner Richard L. Chiesa	Art Unit 1724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to the RCE and amendment filed on February 7, 2005.
2. The allowed claim(s) is/are claims 32-51 (to be renumbered 1-20, respectively).
3. The drawings filed on 08 September 2003 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)	5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)
2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	6. <input checked="" type="checkbox"/> Interview Summary (PTO-413), Paper No./Mail Date _____.
3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____.	7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment
4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance
	9. <input type="checkbox"/> Other _____.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with applicant's attorney, Mr. Clifford H. Kraft, on March 3, 2005.

The application has been amended as follows:

The words --AND METHOD OF OPERATION-- have been added to the end of the title.

The phrase "concave and convex" at the end of the fifth line in claim 32 has been changed to --narrow and wide--.

The word "concave" (claim 32, line 9) has been changed to --narrow--.

The word "convex" (claim 32, line 11) has been changed to --wide--.

The word --to-- has been inserted between "connected" and "a" (claim 43, line 18).

The numeral "19" in the first line of claim 51 has been changed to --50--.

EXAMINER'S STATEMENTS OF REASONS FOR ALLOWANCE

2. The following are examiner's statements of reasons for allowance: Claims 32-49 are allowable because the prior art fails to teach or fairly suggest the recited multi-stage collector

Art Unit: 1724

system with the recited plate electrodes, alternating narrow and wide regions, barrier filter, second electrode in the narrow region, barrier filter in the wide region, and first, second, and third electrical potentials in the recited positioning and operative relationship. Claims 50 and 51 are allowable because the prior art fails to teach or fairly suggest the recited method of collecting particulate matter by passing a gas stream through a pair of parallel plates at a first electrical potential, placing a hollow barrier filter containing an electrode at a second electrical potential between the plates, placing a discharge electrode at a third electrical potential between the plates outside of the barrier filter, and choosing the first and second electrical potentials to cause an electrical discharge from the plate electrode through the barrier filter to the electrode in the barrier filter.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard L. Chiesa whose telephone number is (571) 272-1154.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane S. Smith, can be reached at (571) 272-1166.

Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center 1700 receptionist whose telephone number is (571) 272-0987.

Facsimile correspondence must be transmitted through (703) 872-9306.

Art Unit: 1724

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Richard L. Chiesa

March 3, 2005

Richard L. Chiesa

RICHARD L. CHIESA
PRIMARY EXAMINER
ART UNIT 1724

March 3, 2005